



17" Industrial Embedded Touch Panel PC 12th~14th Generation

Model Number	Display & Touch Type				PC system			Fan (Yes/ No)	Storage		I/O Ports	Construction	Operating System	Optional Interfaces	
	Size	Resolution	Viewing Angle (H-V)	Touch Type	CPU	Chipset	Graphic GPU		SSD	RAM					
NETPC417 i3-1210U/1215U Gen. 12th	17"	1280×1024	85/85/85/85	5-Wire Resistive Or 10-Finger- Multi Capacitive Touch	Intel® Core i3- 1210U/1215U (6 cores 1.2GHZ) (gen.12th)	Intel Alder Lake	Intel® UHD Graphics	No	128GB SSD	8G	1x VGA; 1x HDMI; MIC-In, EAR-Out 1x 12V DC- In	Silver Aluminum Bezel & Aluminum cooling shell and metal enclosure	(Default Pre-installed: Ubuntu or Windows unlicensed) Support: Win10/11; Linux; 64Bit	Option A: Single LAN (1x1000Mbit RJ45 Ports) 4x USB (3.0x 2 ;2.0x 2) 2x RS232 COM(default)	
														Option B: Single LAN (1x1000Mbit RJ45 Ports) 4x USB (3.0x 2 ;2.0x 2) 6x RS232 COM(default)	
														Option C: Dual LAN (2x1000Mbit RJ45 Ports) 6x USB (3.0x 2 ;2.0x 4) 6x RS232 COM(default)	
														Option D: Dual LAN (2x1000Mbit RJ45 Ports) 4x USB (3.0x 2; 2.0x 2) 2x RS232 COM(default)	
NETPC417 i3-1305U/1315U Gen. 13th	17"	1280×1024	85/85/85/85	5-Wire Resistive Or 10-Finger- Multi Capacitive Touch	Intel® Core i3- 1305U/1315U (6 cores 1.2GHZ) (gen.13th)	Intel Raptor Lake	Intel® UHD Graphics	No	128GB SSD	8G	1x VGA; 1x HDMI; MIC-In, EAR-Out 1x 12V DC- In	Silver Aluminum Bezel & Aluminum cooling shell and metal enclosure	(Default Pre-installed: Ubuntu or Windows unlicensed) Support: Win10/11; Linux; 64Bit	Option A: Single LAN (1x1000Mbit RJ45 Ports) 4x USB (3.0x 2 ;2.0x 2) 2x RS232 COM(default)	
														Option B: Single LAN (1x1000Mbit RJ45 Ports) 4x USB (3.0x 2 ;2.0x 2) 6x RS232 COM(default)	
														Option C: Dual LAN (2x1000Mbit RJ45 Ports) 6x USB (3.0x 2 ;2.0x 4) 6x RS232 COM(default)	
														Option D: Dual LAN (2x1000Mbit RJ45 Ports) 4x USB (3.0x 2; 2.0x 2) 2x RS232 COM(default)	
NETPC417 i5-1235U/1245U Gen. 12th	17"	1280×1024	85/85/85/85	5-Wire Resistive Or 10-Finger- Multi Capacitive Touch	Intel® Core i5- 1235U/1245U (10 cores 1.6GHZ) (gen.12th)	Intel Alder Lake	Intel® UHD Graphics	No	128GB SSD	8G	1x VGA; 1x HDMI; MIC-In, EAR-Out 1x 12V DC- In	Silver Aluminum Bezel & Aluminum cooling shell and metal enclosure	(Default Pre-installed: Ubuntu or Windows unlicensed) Support: Win10/11; Linux; 64Bit	Option A: Single LAN (1x1000Mbit RJ45 Ports) 4x USB (3.0x 2 ;2.0x 2) 2x RS232 COM(default)	
														Option B: Single LAN (1x1000Mbit RJ45 Ports) 4x USB (3.0x 2 ;2.0x 2) 6x RS232 COM(default)	
														Option C: Dual LAN (2x1000Mbit RJ45 Ports) 6x USB (3.0x 2 ;2.0x 4) 6x RS232 COM(default)	
														Option D: Dual LAN (2x1000Mbit RJ45 Ports) 4x USB (3.0x 2; 2.0x 2) 2x RS232 COM(default)	
NETPC417 i5-1335U/1345U Gen. 13th	17"	1280×1024	85/85/85/85	5-Wire Resistive Or 10-Finger- Multi Capacitive Touch	Intel® Core i5- 1335U/1345U (10 cores 1.6GHZ) (gen.13th)	Intel Raptor Lake	Intel® UHD Graphics	No	128GB SSD	8G	1x VGA; 1x HDMI; MIC-In, EAR-Out 1x 12V DC- In	Silver Aluminum Bezel & Aluminum cooling shell and metal enclosure	(Default Pre-installed: Ubuntu or Windows unlicensed) Support: Win10/11; Linux; 64Bit	Option A: Single LAN (1x1000Mbit RJ45 Ports) 4x USB (3.0x 2 ;2.0x 2) 2x RS232 COM(default)	
														Option B: Single LAN (1x1000Mbit RJ45 Ports) 4x USB (3.0x 2 ;2.0x 2) 6x RS232 COM(default)	
														Option C: Dual LAN (2x1000Mbit RJ45 Ports) 6x USB (3.0x 2 ;2.0x 4) 6x RS232 COM(default)	
														Option D: Dual LAN (2x1000Mbit RJ45 Ports) 4x USB (3.0x 2; 2.0x 2) 2x RS232 COM(default)	
NETPC417 i7-1255U/1265U Gen. 12th	17"	1280×1024	85/85/85/85	5-Wire Resistive Or 10-Finger- Multi Capacitive Touch	Intel® Core i7- 1255U/1265U (10 cores 1.8GHZ) (gen.12th)	Intel Alder Lake	Intel® UHD Graphics	No	128GB SSD	8G	1x VGA; 1x HDMI; MIC-In, EAR-Out 1x 12V DC- In	Silver Aluminum Bezel & Aluminum cooling shell and metal enclosure	(Default Pre-installed: Ubuntu or Windows unlicensed) Support: Win10/11; Linux; 64Bit	Option A: Single LAN (1x1000Mbit RJ45 Ports) 4x USB (3.0x 2 ;2.0x 2) 2x RS232 COM(default)	
														Option B: Single LAN (1x1000Mbit RJ45 Ports) 4x USB (3.0x 2 ;2.0x 2) 6x RS232 COM(default)	
														Option C: Dual LAN (2x1000Mbit RJ45 Ports) 6x USB (3.0x 2 ;2.0x 4) 6x RS232 COM(default)	
														Option D: Dual LAN (2x1000Mbit RJ45 Ports) 4x USB (3.0x 2; 2.0x 2) 2x RS232 COM(default)	

NETPC417 i7-1355U/1365U Gen. 13th	17"	1280×1024	85/85/85/85	5-Wire Resistive Or 10-Finger-Multi Capacitive Touch	Intel® Core i7-1355U/1365U (10 cores 1.8GHZ) (gen.13th)	Intel Raptor Lake	Intel® UHD Graphics	No	128GB SSD	8G	1x VGA; 1x HDMI; MIC-In, EAR-Out 1x 12V DC-In	Silver Aluminum Bezel & Aluminum cooling shell and metal enclosure	(Default Pre-installed: Ubuntu or Windows unlicensed) Support: Win10/11; Linux; 64Bit	Option A: Single LAN (1x1000Mbit RJ45 Ports) 4x USB (3.0x 2 ;2.0x 2) 2x RS232 COM(default)	
														Option B: Single LAN (1x1000Mbit RJ45 Ports) 4x USB (3.0x 2 ;2.0x 2) 6x RS232 COM(default)	
														Option C: Dual LAN (2x1000Mbit RJ45 Ports) 6x USB (3.0x 2 ;2.0x 4) 6x RS232 COM(default)	
														Option D: Dual LAN (2x1000Mbit RJ45 Ports) 4x USB (3.0x 2 ;2.0x 2) 2x RS232 COM(default)	
NETPC417 Ultra 5 125U/135U Gen. 14th	17"	1280×1024	85/85/85/85	5-Wire Resistive Or 10-Finger-Multi Capacitive Touch	Intel® Core Ultra 5 125U/135U (12 cores 1.3GHZ) (gen.14th)	Intel Meteor Lake	Intel® UHD Graphics	No	128GB SSD	16G	1x VGA; 1x HDMI; MIC-In, EAR-Out 1x 12V DC-In	Silver Aluminum Bezel & Aluminum cooling shell and metal enclosure	(Default Pre-installed: Ubuntu or Windows unlicensed) Support: Win10/11; Linux; 64Bit	Option A: Single LAN (1x1000Mbit RJ45 Ports) 4x USB (3.0x 2 ;2.0x 2) 2x RS232 COM(default)	
														Option B: Single LAN (1x1000Mbit RJ45 Ports) 4x USB (3.0x 2 ;2.0x 2) 6x RS232 COM(default)	
														Option C: Dual LAN (2x1000Mbit RJ45 Ports) 6x USB (3.0x 2 ;2.0x 4) 6x RS232 COM(default)	
														Option D: Dual LAN (2x1000Mbit RJ45 Ports) 4x USB (3.0x 2 ;2.0x 2) 2x RS232 COM(default)	
NETPC417 Ultra 7 155U/165U Gen. 14th	17"	1280×1024	85/85/85/85	5-Wire Resistive Or 10-Finger-Multi Capacitive Touch	Intel® Core Ultra 7 155U/165U (12 cores 1.7GHZ) (gen.14th)	Intel Meteor Lake	Intel® UHD Graphics	No	128GB SSD	16G	1x VGA; 1x HDMI; MIC-In, EAR-Out 1x 12V DC-In	Silver Aluminum Bezel & Aluminum cooling shell and metal enclosure	(Default Pre-installed: Ubuntu or Windows unlicensed) Support: Win10/11; Linux; 64Bit	Option A: Single LAN (1x1000Mbit RJ45 Ports) 4x USB (3.0x 2 ;2.0x 2) 2x RS232 COM(default)	
														Option B: Single LAN (1x1000Mbit RJ45 Ports) 4x USB (3.0x 2 ;2.0x 2) 6x RS232 COM(default)	
														Option C: Dual LAN (2x1000Mbit RJ45 Ports) 6x USB (3.0x 2 ;2.0x 4) 6x RS232 COM(default)	
														Option D: Dual LAN (2x1000Mbit RJ45 Ports) 4x USB (3.0x 2 ;2.0x 2) 2x RS232 COM(default)	



Option A: One LAN+ 4x USB+ 2x RS232 COM



Bottom View

Top View


Option B: One LAN+ 4x USB+ 6x RS232 COM



Bottom View

Top View

Option C: Dual LAN+ 6x USB+ 6x RS232 COM



Bottom View

Top View

Configuration Options	
Fan Option	
Add fan in outer side	
RAM/Memory Options	
8GB	
16GB	
Storage Options	
128GB SSD	
256GB SSD	
512GB SSD	
HDD Storage Options	
1T HDD(Hard Disk Drive)	
2T HDD(Hard Disk Drive)	
Expansion Options	
WIFI Expansion Kit – Kit includes antenna, WIFI includes bluetooth(two-in-one)	
2X RS232 COM Or 6X RS232 COM(Default)	
Choose 1x RS422 / 1xRS485 COM	
Included in the Delivery	
Power adapter;Short Installation Manual;	